

Spatiotemporal Discovery: Appearance + Behaviour = Agent

Paper ID: P1301

No Institute Given

Abstract. Experiments in infant category formation indicate a strong role for temporal continuity and change in perceptual categorization. Computational approaches to model discovery in vision have traditionally focused on static images, with appearance features such as shape playing an important role. In this work, we consider integrating agent behaviours with shape for the purpose of agent discovery. Improved algorithms for video segmentation and tracking under occlusion enable us to construct models that characterize agents in terms of motion and interaction with other objects. We present a preliminary approach for discovering agents based on a combination of appearance and motion histories. Using uncalibrated camera images, we characterize objects discovered in the scene by their shape and motion attributes, and cluster these using agglomerative hierarchical clustering. Even with very simple feature sets, initial results suggest that the approach forms reasonable clusters for diverse categories such as people, and for very distinct clusters (animals), and performs above average on other classes.

1 Introduction

Our concepts carve nature into chunks that form more compact and efficient representations of the world. It is possible that much of our early categories are learned from a single system of knowledge, based ultimately on perception [1]. If so, how does one go about discovering these categories from the *passing show*? This is clearly one of the central problems of perception, and we attempt to approach this problem from a computational standpoint.

Temporal continuity and change plays a strong role in category formation. By three months, infants begin to pay attention to coherently moving blobs (Spelke objects [2]), and by six months they are sensitive to the spatiotemporal dynamics of occlusion [3]. Indeed, in significant respects, the behaviour of objects may constitute a more important hallmark of their categorization (e.g. animacy) than appearance alone [4].

Computational models of object categorization and object recognition, on the other hand, have focused traditionally on clustering based on appearance attributes in static images [5]. While appearance attributes may be prior (e.g. faces), category formation seems to be strongly tied to dynamic scenes.

In this work, we consider dynamic image sequences and use improved algorithms for video segmentation and tracking under occlusion to construct coherent motion histories and occlusion relations simulating these cognitive aspects of infant category formation. The aspects of the scene that characterize agents may involve motion, shape and their interactions with other objects, and we present an attempt to form clusters

based on the first two elements, and to form a set of features for the third. Thus, we obtain shape and motion characteristic for each agent instance and use an average-link hierarchical clustering algorithm to cluster agents in this combined-feature scenario. Comparing our results with those obtained based on appearance alone shows significant improvements in recognizing certain heterogeneous groups such as People. Thus, through this work, we present an initial approach for discovering agents based on a combination of appearance and motion histories.



Fig. 1. Image sequence showing multi-agent activity in traffic (uncalibrated static camera). Vehicles, people, and animals are tracked across partial and complete occlusions and identified as agent instances. Frames (a)-(d) shows a crowd of people embarking a static tempo (marked as an erstwhile moving object) in the foreground, while motorcycles, rickshaws, bicycles and pedestrians are seen interacting along the main road.

1.1 Dynamic Image Characterization

We use an uncalibrated static camera image sequence involving simultaneous interactions of tens of agents in a traffic scene, interacting with and occluding each other (figure 1). Agents are identified as connected blobs that are capable of motion, including those that are currently at rest. Agents constitute 3-manifolds in the $\{\text{image} \times \text{time}\}$ space, which is reduced to a set of features covering appearance and behaviour.

Behaviour of an agent can involve many aspects. Here we distinguish solitary behaviours (motions) from multi-agent behaviours (interactions). Based on the assumption that interaction involving proximity in 3D space may result in visual occlusion, we use occlusion, as one of the indicators of interaction. These three sets of features, then, are central to agent recognition:

- Appearance: attributes include shape, which is captured via the summary attributes of area, aspect ratio, and dispersedness ($\text{Perimeter}^2 / \text{Area}$).
- Motion : attributes include speed, direction change sequences, velocity change, well as the quadratic-splined curve of the trajectory.
- Interactions: These are computed based on occlusion primitives (section 2.3) such as isolated, occluded-by-background, occluded-by-agents, etc.

Next we highlight our approach to multi-agent tracking in crowded scenarios. Since these algorithms have already been presented elsewhere [6] only a minimal summary is presented below.

2 Multiple Agent Tracking

Connected regions in the foreground (2.1) that are seen to persist coherently over time constitute agents. Agents are tracked across multiple frames, and partial or complete occlusions are handled. The part of the image corresponding to an agent (called its support region) is tracked across frames by associating the predicted agent regions to foreground blobs obtained from figure-ground segmentation (2.1).

Several agents may correspond to the same blob (crowding), or a single agent may map to several blobs (fragmentation), etc; and the nature of this mapping is also stored in terms of several occlusion primitives sec:???. The agents are further localized by an iterative centroid update algorithm, where their appearance (position and color) features are used to re-estimate the agent centroids (2.2). For the purpose of prediction, agent-blob associations are re-computed and agent models updated only for those agents which are unoccluded by others.

Agents which have been successfully tracked at the t^{th} instant comprise the *active* set of agents $\mathcal{A}_{active}(t)$, whereas agents which have disappeared (occluded by others, etc) constitute the set $\mathcal{A}_{disapp}(t)$ - which are matched with new agents when they arise in the scene. The system initializes itself with empty sets and agent instances are added (removed) as they appear (disappear) in the field of view.

2.1 Foreground Extraction

Agents are identified as foreground regions based on one of two kinds of evidence: first, as regions of change with respect to a learned background model; and second, as regions exhibiting motion. Learning the background model in presence of agents, a challenging problem in itself, is handled using a pixel-wise mixture of Gaussians [7], which incrementally learns the background scene model in the presence of agents. However, such an approach is prone to transient errors persisting over a number of frames (depending on the learning rate), resulting in two types of errors. First, if agents learned as part of the background suddenly start moving, ghosts and holes appear in the foreground segmentation. Second, when a moving agent comes to stasis, it is eventually learned as a part of the background, which may not be desirable in itself, and also in the transition period, objects interacting with it would not be identified. Both these problems are averted in the present approach by combining background-model and motion evidence, and updating based on tracking / previous motion-history feedback [6].

2.2 Agent Localization

Tracking multiple agents involve the use of their appearance models along with the trajectory information. The appearance of the j^{th} agent having region of support $n_j(t)$ pixels at the t^{th} instant is represented by $\mathbf{a}_j(t) = \{\alpha_{jk}(t)\}_{k=1}^{n_j(t)}$, where $\alpha_{jk}(t) = [r_{jk}(t), g_{jk}(t), b_{jk}(t), \tilde{x}_{jk}(t), \tilde{y}_{jk}(t)]^T$ characterizes a component pixel. Thus, the appearance is a collection of pixel positions $(\tilde{x}_{jk}(t), \tilde{y}_{jk}(t))$ relative to the centroid $\mathbf{c}_j(t)$ of the agent pixel set and the corresponding colors $(r_{jk}(t), g_{jk}(t), b_{jk}(t))$ in the *RGB* color space.




Fig. 2. Results of foreground detection. (a) The *tempo* in the red bounding box starts moving (Frame 1628), and the *tempo* highlighted by blue has already come to rest; Foreground extraction results (b) using only per pixel Gaussian mixture model with traditional exponential forgetting; (c) with motion detection only (\mathbf{F}_m) and (d) combining motion evidence with tracking feedback (\mathbf{F}_t).

The agent-blob association is performed among the members of the active set $\mathcal{A}_{active}(t)$ and the set of foreground blobs $\mathcal{F}(t)$. An agent $A_j(t)$ is considered to be associated to the blob $f_i(t)$, if $|\{(\tilde{x}_{jk}(t), \tilde{y}_{jk}(t)) + \mathbf{c}^*_{j^*}(t)\} \cap f_i(t)| \neq 0$ ($\mathbf{c}^*_{j^*}(t)$ is the motion predicted centroid obtained at the t^{th} instant).

We consider the general case where the agents $\{A_p(t)\}_{p=1}^{P_t}$ are associated with the foreground blobs $\{f_q(t)\}_{q=1}^{Q_t}$. Let, $\mathbf{u}_l(t)$ be a foreground pixel characterized by color and position as $\mathbf{u}_l(t) = [r_l(t), g_l(t), b_l(t), x_l(t), y_l(t)]^T$. We consider $\mathbf{u}_l(t)$ to be the best match of the k^* pixel of the j^* associated agent, if the following are satisfied.

$$\tilde{\mathbf{u}}_{lj}(t) = [r_l(t), g_l(t), b_l(t), (x_l(t), y_l(t)) - \mathbf{c}_j^{(s)}(t)]^T \quad (1)$$

$$\lambda_{jkl}^{(s)}(t) = \exp(-\|\alpha_{jk}(t) - \tilde{\mathbf{u}}_{lj}(t)\|_{\Sigma}) \quad (2)$$

$$v_l^{(s)}(t) = (j^*, k^*) = \operatorname{argmax}_{j,k} \lambda_{jkl}^{(s)}(t) \quad (3)$$

Where, Σ is a weighing matrix and $\mathbf{c}_j^{(s)}(t)$ is the iteratively re-estimated centroid of the support of the j^{th} agent in the s^{th} iteration. The best match agent-pixel index two tuple for $\mathbf{u}_l(t)$ is given by $v_l^{(s)}(t) = (j^*, k^*)$, which indicates the visibility of the k^* pixel of the j^* agent as $\mathbf{u}_l(t)$. Thus, with respect to $\mathbf{u}_l(t)$, the centroid of $A_{j^*}(t)$ can be expected to be at $\hat{\mathbf{c}}_{j^*k^*l}^{(s)}(t) = (x_l(t), y_l(t)) - (\tilde{x}_{j^*k^*}(t), \tilde{y}_{j^*k^*}(t))$ with a certain weighted belief $\lambda_{jkl}^{(s)}(t)$. We re-estimate the agent centroid in the $(s+1)^{th}$ iteration as the weighted average of such expected centroid positions derived in s^{th} iteration as shown in equation 5.

$$V_j^{(s)}(t) = \{l, k : v_l^{(s)}(t) = (j, k)\} \quad (4)$$

$$\mathbf{c}_j^{(s+1)}(t) = \frac{\sum_{l,k \in V_j^{(s)}(t)} \hat{\mathbf{c}}_{jkl}^{(s)}(t) \lambda_{jkl}^{(s)}(t)}{\sum_{l,k \in V_j^{(s)}(t)} \lambda_{jkl}^{(s)}(t)} \quad (5)$$

The agent localization iterations are initialized with $\mathbf{c}_j^{(0)}(t) = \mathbf{c}*_j(t)$ and are terminated, when $\max_j \|\mathbf{c}_j^{(s+1)}(t) - \mathbf{c}_j^{(s)}(t)\| \leq \epsilon_c$ is satisfied. The results of multi-agent tracking on a traffic video are shown in figure 1.

2.3 Interactions: Occlusion Primitives

Interactions between objects in 3D cannot be dealt with, but one may assume that objects in close proximity are likely to occlude one another (given a supra-horizon view). The nature of this occlusion and its transitions constitute a partial signature of the interaction. Four types of occlusion situations are distinguished:

- Isolation ($\mathcal{O}(I)$): Single agent associated to single foreground blob (No occlusion).
- Crowding ($\mathcal{O}(C)$): More than one agents are associated to a single foreground blob (Occluding or occluded by other agents).
- Fragmentation ($\mathcal{O}(F)$): Agent appears as fragmented, being associated to multiple foreground blobs (partial occlusions).
- Disappearance ($\mathcal{O}(D)$): Agent unassociated to any foreground blob (Complete occlusion by background objects).

In *crowding/emphfragmentation* situations, only the agent trajectory is updated. Appearance models are updated only for those agents which are unoccluded by other agents/background objects. *Disappeared* agents are moved from \mathcal{A}_{active} to \mathcal{A}_{disapp} . Foreground blobs (or fragments) unassociated to any agent in \mathcal{A}_{active} , are compared against those in \mathcal{A}_{disapp} - if a match is not found, an entrance of a new agent is declared, otherwise the matched agent is reinstated in \mathcal{A}_{active} . Clearly, since our recognition is 2D, many agents which re-emerge after near-complete occlusion may not be recognized - and indeed this is the case in approximately half of such situations.

3 Agent Characterization

An agent instance $A_j(t_s^{(j)}, t_e^{(j)})$ is a space-time manifold characterized by the time indexed set of appearances (a collection of position (XY) and corresponding color (RGB) vectors) and the centroid-trajectory $\{\mathbf{c}_j(t)\}_{t=t_s^{(j)}^{(j)}}^{t_e^{(j)}}$ during its scene presence $[t_s^{(j)}, t_e^{(j)})$. This agent model encodes both the appearance and behavior and constitutes part of the cognitive percept of the agent; the other aspects being its interactions with other agents/background objects/scene landmarks.

This work focuses on unsupervised agent categorization based on low level features derived from the shape and the motion. As shape features, we consider the area (number of pixels in the support region), aspect ratio (vertical to horizontal length ratio of the minimum bounding of the agent) and dispersedness (ratio of perimeter squared to area). Collins et al. [8] have successfully classified people and vehicles using these simple set of features, albeit in a supervised learning framework. The motion features include the set of speeds, directions of motion and pointwise curvatures of the trajectory in the image space. Such features can assist us in handling queries such as “*List all high speed*

vehicles”, “List all agents moving in a straight path from left to right”, “Group agents of similar size” etc. The distributions of the shape and motion features of all the agents are shown in figure 3. Categorizing agents with respect to their low level features are described in further details in sub-section 3.1.




Fig. 3. Low level shape features projected on the (a) aspect ratio - dispersedness plane, (b) area - aspect ratio plane and (c) dispersedness - area plane; (d) Agent speed distribution in image plane; (e) Distribution of directions of motion in image plane; (f) Agent trajectories obtained till the first 2500 frames.

Apart from these low level features, one can also categorize the agents in terms of their behavioral features derived from their interactions with other agents/background objects/scene landmarks. Interactions in real world often leave their imprints in terms of image space occlusions. Thus, the interactions with other agents or background objects can be represented by observing the O-primitive transition sequences of the concerned agents. This might lead to behavioral descriptions like “The agent that walked accross the tree”. More so, one might also represent them in terms of the traversal of scene landmark regions forming categorizations based on situations like “The agents which eneterd from the left and travelled on the road”. Representations with higher level feature descriptors are discussed in sub-section ??.

3.1 Agent Categorization

The scene presence of the agents vary leading to the formation of variable length shape and motion feature sets. Here, the agent A_r is represented as a set of ceratin property q as $A_r^{(q)} = \{\mathbf{q}_{rj}\}_{j=1}^{n_r^{(q)}}$. Such forms of agent characterizations can’t be efficiently handled

by the usual approach of learning mixtures of Gaussians. Thus, we opt for “*agglomerative hierarchical clustering algorithms*” [9] which require a definition of a distance measure between two such sets. Consider two Agents A_r and A_s characterized by their respective feature sets $A_r^{(q)}$ and $A_s^{(q)}$. We define the distance $\mathcal{D}_a(A_r^{(q)}, A_s^{(q)})$ between these two agent feature sets as,

$$\mathcal{D}_a(A_r^{(q)}, A_s^{(q)}) = \frac{1}{n_r^{(q)} n_s^{(q)}} \sum_{j=1}^{n_r^{(q)}} \sum_{k=1}^{n_s^{(q)}} \|\mathbf{a}_{rj} - \mathbf{a}_{sk}\| \quad (6)$$

We employ the *average-link clustering algorithm* as it offers a compromise between the single-link and complete-link ones and is more robust to outliers [9]. The algorithm initializes by assigning a cluster label to each of the agents. Thus, for a collection of agent feature sets $\{A_i\}_{i=1}^n$, the initial collection of clusters is given by $\{C_i = A_i\}$. The dendrogram is formed in a bottom-up approach, where each iteration reduces the cluster number by one while merging two clusters, until finally, at the n^{th} iteration, all the agents are assigned to a single cluster.

Consider the k^{th} iteration, where we merge two of the $(n - k + 2)$ clusters obtained from the $(k - 1)^{\text{th}}$ step. The diameters of all possible 2-cluster mergers are computed and the pair minimizing the same is considered for merging. We select the cluster index pair (i^*, j^*) for merging in the k^{th} iteration, if $(i^*, j^*) = \text{argmin} \mathcal{D}_c(C_i, C_j), \forall i, j = 1 \dots (n - k + 2)$ and $i \neq j$, where $\mathcal{D}_c(C_i, C_j)$ is the distance between two clusters given by,

$$\mathcal{D}_c(C_i, C_j) = \frac{1}{|C_i| |C_j|} \sum_{A \in C_i} \sum_{A' \in C_j} \mathcal{D}_a(A, A') \quad (7)$$

3.2 Categorizing with Shape and Motion Features

The multiple agent tracking performed on the aforementioned traffic surveillance video yielded the discovery of $n = 376$ agents. The appearances of the discovered agents are manually inspected for generating groundtruth data, from which we observe the existence of 10 distinct categories along with outliers (formed from track losses and spurious foreground detection) - $\Gamma(\text{Shape}) = \{ \text{OUTLIERS (62)} \text{ PEOPLE (130), TEMPO (18), BUS (3), TRUCK (1), TRACTOR (3), CAR (18), MOTORBIKE (55), CYCLE (44), RICKSHAW (25), COW (17)} \}$.

We form the collection of agent shape feature (area, aspect ratio and dispersedness) sets $\{A_i^{(\text{shape})}\}_{i=1}^n$, which are subjected to the average link clustering algorithm. A certain cluster $C_i^{(k)}$ in the k^{th} iteration is declared to host a certain agent category Γ_j , if

the agents of that class occur with the highest frequency in $C_i^{(k)}$. The sensitivity $\mathcal{S}_j(k)$ of categorizing the agent category Γ_j in the k^{th} iteration is thus defined as,

$$\mathcal{S}_j(k) = \frac{1}{|\Gamma_j|} \sum_{i=1}^{n-k+1} |C_i^{(k)}| \delta(\beta(i) - j) \quad (8)$$

Where, $|\Gamma_j|$ is the total number of instances of the j^{th} category, $\beta(i)$ denotes the category of an agent (from groundtruthed data), $|\bullet|$ determines the cardinality of a cluster and $\delta(\bullet)$ is the Kronecker Delta function. The sensitivities of clustering with upto 25 clusters for shape features and instances of the appearances of the discovered agents are shown in figure 4.

In a similar manner, we construct the agent trajectory feature sets of speed direction $\{A_i^{(direction)}\}_{i=1}^n$ and form $\{A_i^{(form)}\}_{i=1}^n$ which are subjected to hierarchical clustering. Manual inspection of the groundtruth data shows the existence of 6 different kinds of trajectories along with outliers (on account of track losses) - $\Gamma(\text{TRAJECTORY}) = \{ \text{OUTLIERS (205)} \text{ LEFT TO RIGHT (77), FROM BOTTOM TURN LEFT (5), MOVE UP (4), RIGHT TO LEFT (76), U-TURN (3), MOVE TO BOTTOM (6)} \}$. Among these, there were only 163 LINEAR TRAJECTORIES. The sensitivities of detecting trajectories upto 100 clusters and the three distinctly discovered trajectories (LEFT TO RIGHT , FROM BOTTOM TURN LEFT and RIGHT TO LEFT)are shown in figure 5.

3.3 Behavior As Variable Length Occlusion Sequences

Models of single-agent behaviors are mainly characterized by its state space trajectories. Agent categorization in a surveillance scenario in terms of its motion features have already been discussed in sub-section 3.2. Agent-object interactions exhibit several different modes - the actions may involve actual contact (e.g. riding a bike, boarding or disembarking a vehicle, grouping etc.) or may involve interactions at a distance (e.g. following, chasing, overtaking, etc.). In terms of image space, actual contacts are necessarily reflected in terms of occlusions, but non-contact situations do not necessarily characterized by non-overlap. Thus, we believe that occlusion sequences exhibited by an agent form visual signatures for the underlying interactions. More so, we identify that the occlusion state transition sequence form a more significant interaction description than the occlusion state sequences themselves. In this work, we aim to discover the interactions arising out of agents moving in complex environments undergoing both static and dynamic occlusions with background objects and other agents respectively.

A number of methodologies employing hidden Markov models, time-delay neural networks, recurrent networks etc. have been proposed for modeling and recognition of action/interaction sequences in a supervised learning framework. On the other hand, unsupervised learning of activity patterns have also been proposed by trajectory clustering [10] or variable length Markov model learning [11]. A good overview of such techniques can be found in [12].





Fig. 4. Results of agent appearance discovery. Area, aspect ratio and dispersedness constitute the appearance features of an agent. However, the cardinalities of the appearance feature sets of the discovered agents vary due to their different frame presence. Here, we only have a measure of distance between two such sets and thus the average link clustering algorithm is executed on a collection of 376 (discovered) agent shape feature sets. (a) Detection rates achieved by the average link clustering algorithm computed by cross-validating with groundtruth data. (b) Instances of appearances of discovered agents (appearances are scaled for better viewing purposes).

Supervised activity modeling techniques are mostly task oriented and hence fail to capture the corpus of events from the time-series data provided to the system. Unsupervised data mining algorithms, on the other hand, discover the modes of spatio-temporal patterns thereby leading to the identification of a larger class of events. The use of VLMMs in the domain of activity analysis was introduced for automatic modeling of




Fig. 5. Detection rates achieved by the average link clustering algorithm computed by cross-validating with groundtruth data. Sensitivity of categorization of agents by (a) *Trajectory direction* and (b) *Trajectory form* (linear versus higher order); Plotting discovered trajectories with respect to form and direction. Linear trajectories (in image plane) of agents moving (d) *Left to Right*, (e) *Right to Left* and (f) higher order trajectories of *Turning Left coming from Bottom*.

the actions in exercise sequences [13] and interactions like handshaking [11] or overtaking of vehicles [14] in a traffic scenario. These approaches propose to perform a vector quantization over the agent feature and motion space to generate temporally indexed agent-state sequences from video data. These sequences are parsed further to learn VLMMs leading to the discovery of behavioral models of varying temporal durations.

Incremental Transition Sequence Learning In this work, we employ “*Incremental Transition Sequence Learning*” to capture the variable length sequences of occlusion primitives which describe different behavior patterns. The atomic event primitives (here, the occlusion primitives) ϵ constitute the set \mathcal{E} . Our approach to mining in this space involves the construction of an *activity tree* \mathcal{T}_α whose branches represent variable length event primitive sequences.

An empty (first in first out) buffer β_j (of length L , the maximum sequence length) and the null activity tree $\mathcal{T}_\alpha(j)$ (containing only the root node ρ_j) are initialized at the very first appearance of every j^{th} agent \mathcal{A}_j . Each node of $\mathcal{T}_\alpha(j)$ is a two tuple $\mathcal{T}_n \equiv (\epsilon, \pi)$ containing the primitive $\epsilon \in \mathcal{E}$ and a real number $\pi \in (0, 1]$ signifying the probability of occurrence of the path $\{\rho_j, \dots, \mathcal{T}_n\}$ among the set of all possible paths of the same length.

Let, $\epsilon(j, t)$ be the event primitive observed for \mathcal{A}_j at time t . If there is a transition in this event primitive, i.e. if $\epsilon(j, t) \neq \epsilon(j, t - 1)$, then $\epsilon(j, t)$ is pushed to β_j . Let the set of l -length paths (originating from ρ_j) of $\mathcal{T}_\alpha(j, t)$, be $B^{(l)}(j, t) = \{\alpha_u^{(l)}(j, t)\}_{u=1}^{b_l}$, where b_l is the number of l -length branches in the tree. More so, if the sequence $\{\beta_j[l - k](t)\}_{k=1}^l$ signify the b^{th} path of $B^{(l)}(j, t)$, then the probabilities $\{\pi_u^{(l)}(j, t)\}_{u=1}^{b_l}$ of the nodes of $\mathcal{T}_\alpha(j, t)$ at the l^{th} depth are updated as,

$$\pi_u^{(l)}(j, t) = (1 - \eta_l(t))\pi_u^{(l)}(j, t - 1) + \eta_l(t)\delta(u - b) \quad (9)$$

Where, $\eta_l(t)$ is the rate of learning l -length sequences at the t^{th} instant and δ is the Kronecker delta function. However, in the current implementation a fixed learning rate η is employed such that $\eta_l(t) = \max(\frac{1}{t}, \eta) \forall l$.

Occurrence of a new event primitive results in the formation of newer variable length sequences in the buffer. Thus, new nodes signifying this event primitive are added at different levels of the tree thereby growing newer branches. Each new node is initialized with an initial probability of $\eta_l(t)$, whereas the older node probabilities in the same levels are penalized by multiplying with a factor of $(1 - \eta_l(t))$. This ensures the self-normalizing nature of node probability updates (as in equation 9) such that they add up to unity at each depth.

3.4 Occlusion Interaction: Learning from O-Transitions

Consider a short video sequence where a person walks across a tree from left to right in the image space from which we sample 18 frames to illustrate the process of agent-background object interaction discovery. Key frames from this sequence are shown in figure 6(a)-(e). Incremental transition sequence learning is performed with a maximum depth of $L = 10$ and a learning rate η inversely proportional to the frame number. The growth of the activity tree is shown in figure 6(f).

Semantic labels can be assigned to the sequences in the occlusion-primitive space to denote different activities, and subsequences may constitute sub-activities. For example, consider the longest path $\{\mathcal{O}(I) \rightarrow \mathcal{O}(P) \rightarrow \mathcal{O}(D) \rightarrow \mathcal{O}(P) \rightarrow \mathcal{O}(I)\}$ learned in the activity tree from the aforementioned video that correspond to the activity of **walking across a tree from left to right**. Subsequences of this path viz. $\{\mathcal{O}(I) \rightarrow \mathcal{O}(P) \rightarrow \mathcal{O}(D)\}$ and $\{\mathcal{O}(D) \rightarrow \mathcal{O}(P) \rightarrow \mathcal{O}(I)\}$ also correspond to the visually significant events of **going to hide from left to right** and **reappearing and moving to the right**.

4 Conclusion

In this work we have attempted to capture some cognitive notions of perceptual category learning and attempted to devise computational analogs of this process. While our results in terms of category discovery are clearly preliminary, we believe that the high correlations obtained in terms of sensitivity matches (figure ??) do indeed provide some justification for such an approach, especially given that the system operates in completely unsupervised mode, without any information about the complex scene that is being observed.




Fig. 6. Example video sequence: Man walks left to right behind a tree. Frames and Agent states: (a) 1-5: *isolated*; (b) 6: *partially occluded*, (c) 7-8: *disappeared*, (d) 9: *partially occluded* (e) 10-18: *isolated*. (f) Learning **Activity Tree**. The left-most nodes are just below the root of the growing tree. Results of incremental transition sequence learning are shown after frames 1, 6, 7, 9 and 18. Branches encode different variable length event sequences along with relative frequencies. Thus, in column 2 (after Frame 9), the sequence $\{(I \rightarrow P \rightarrow D), 0.89\}$ corresponds to the event primitive sequence $\{\mathcal{O}(I) \rightarrow \mathcal{O}(P) \rightarrow \mathcal{O}(D)\}$; i.e. the event sequence “coming from the left and getting hidden” occurs with relative frequency 89% among observed 3-length sequences.

Clearly, the results are indicative, and much work remains. In particular, characterizing the interactions between objects is a very rich area, of which the occlusion models used here only scratch the surface. In cognitive terms, the behaviour of agents can be described compactly in terms of landmarks - and currently we are exploring the emergence of scene landmarks with which to characterize such interaction.

References

1. Quinn, P., Eimas, P.: The emergence of category representations during infancy: Are separate perceptual and conceptual processes required? *Journal of Cognition and Development* **1** (2000) 55–61
2. Spelke, E.S.: Principles of object perception. *Cognitive Science* **14** (1990) 29–56
3. Gredebaeck, G., von Hofsten, C.: Infants evolving representations of object motion during occlusion: A longitudinal study of 6- to 12-month-old infants. *Infancy* **6**(2) (2004) 165–184
4. Mandler, J.M.: *Foundations of Mind*. Oxford University Press, New York (2004)
5. Mareschal, D., French, R.M., Quinn, P.: A connectionist account of asymmetric category learning in early infancy. *Developmental Psychology* **36**(5) (2000) 635–645
6. Blind1: Details withheld. In: for Blind Review. (2006)
7. Zivkovic, Z.: Improved adaptive gaussian mixture model for background subtraction. In: *Proceedings of the 17th International Conference on Pattern Recognition*. Volume 2. (2004) 28–31

8. Collins, Lipton, Kanade, Fujiyoshi, Duggins, Tsin, Tolliver, Enomoto, Hasegawa: A system for video surveillance and monitoring: Vsam final report. Technical Report CMU-RI-TR-00-12, Robotics Institute, Carnegie Mellon University (2000)
9. Duda, R., Hart, P., Stork, D.: Pattern Recognition. 2nd Edition, John Wiley and Sons (2003)
10. Johnson, N., Hogg, D.: Learning the distribution of object trajectories for event recognition. In: Proceedings of the 6th British conference on Machine vision (Vol. 2), BMVA Press (1995) 583–592
11. Galata, A., Johnson, N., Hogg, D.: Learning variable-length markov models of behavior. Computer Vision and Image Understanding **81**(3) (2001) 398–413
12. Buxton, H.: Learning and understanding dynamic scene activity: a review. Image and Vision Computing **21**(1) (2003) 125–136
13. Johnson, N., Galata, A., Hogg, D.: The acquisition and use of interaction behavior models. In: Proceedings of IEEE Conference on Computer Vision and Pattern Recognition, IEEE Computer Society (1998) 866–871
14. Galata, A., Cohn, A.G., Magee, D., Hogg, D.: Modeling interaction using learnt qualitative spatio-temporal relations and variable length markov models. In van Harmelen, F., ed.: Proceedings of European Conference on Artificial Intelligence. (2002) 741–745